



MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 26-8-2011 Revision date: 22-6-2023 Supersedes: 16-8-2022 version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : MPM Antifreeze MPG
Product code : 88000A
Type of product : Anti-freezing agents
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Function or use category : Anti-freezing agents

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

MPM International Oil Company
Cyclotronweg 1
2629 HN Delft - Nederland
T +31 (0)15 2514030
info@mpmoil.nl - www.mpmoil.com

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.
Extra phrases : This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

2.3. Other hazards

The product does not meet the PBT and vPvB classification criteria

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This mixture does not contain any substances that have been assessed as vPvB / PBT according to Regulation (EC) No, 1907/2006, Annex XIII. Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
PROPYLENE GLYCOL	CAS-No.: 57-55-6 EC-No.: 200-338-0	$\geq 80 - \leq 98$	Not classified
Sodium-2-ethylhexanoaat	CAS-No.: 19766-89-3 EC-No.: 243-283-8	$\geq 0,1 - \leq 3$	Repr. 2, H361d
Methyl-1H-benzotriazole	CAS-No.: 29385-43-1 EC-No.: 249-596-6 REACH-no: 01-2119979081-35	$\geq 0,1 - \leq 1$	Acute Tox. 4 (Oral), H302 Repr. 2, H361d Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General	: Remove the victim away from contaminated area. If unconscious, place in the recovery position and seek medical advice.
After inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
After skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.
After eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophtalmologist if irritation persists.
After ingestion	: Do NOT induce vomiting. If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: Harmful if inhaled.
After skin contact	: May cause skin irritation / dermatitis.
After eye contact	: Causes eye irritation.
After ingestion	: Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray, powder, foam and CO₂. Fight larger fires with water spray or alcohol resistant foam.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : On exposure to high temperature, may decompose, releasing toxic vapours.
- Hazardous decomposition products in case of fire : Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NO_x).

5.3. Advice for firefighters

- Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.
- Other information : Cool containers / tanks with spray water if possible. Use a water spray to cool exposed surfaces and to protect fire-fighters.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Ventilate well. Use protective clothing. Mark out the contaminated area with signs and prevent access to unauthorized personnel.

6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing and eye/face protection.

6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing and eye/face protection. Breathing apparatus.

6.2. Environmental precautions

Dilute with plenty of water. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.
- Other information : Provide adequate ventilation.

6.4. Reference to other sections

Information on safe handling - see Section 7. Information on personal protective equipment - see Chapter 8. Information on disposal - see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Provide local exhaust or general room ventilation. Avoid aerosol formation.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ensure adequate ventilation, especially in confined areas. Store in tightly closed, leak-proof containers. Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Keep container tightly closed.
- Incompatible products : Strong bases. Oxidizing agent.
- Information on mixed storage : Keep in a cool, well-ventilated place away from acids.
- Storage area : Keep in a cool, well-ventilated place. Keep away from food, drink and animal feedingstuffs.

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packaging materials : Keep only in the original container in a cool, well-ventilated place away from combustible materials.

7.3. Specific end use(s)

Anti-freezing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

PROPYLENE GLYCOL (57-55-6)	
Ireland - Occupational Exposure Limits	
Local name	Propane-1,2-diol [Propylene glycol]
OEL (8 hours ref) (mg/m ³)	470 mg/m ³ total (vapour and particulates) 10 mg/m ³ particulates
OEL (8 hours ref) (ppm)	150 ppm total (vapour and particulates)
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Propane-1,2-diol
WEL TWA (mg/m ³)	474 mg/m ³
WEL TWA (ppm)	150 ppm total vapour and particulates
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

No additional information available.

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Protective goggles.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

No special eye protection equipment recommended under normal conditions of use. Eye protection should only be necessary where hot liquid could be splashed or sprayed

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Red.
Appearance	: Hygroscopic.
Odour	: Slight.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: -32 °C Typical
Boiling point	: > 162 °C Typical
Flammability	: Will burn if involved in a fire.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 103 °C Pensky-Martens closed cup test (estimated)
Auto-ignition temperature	: 700 (Propaan -1,2 -diol)
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: In water, material soluble.
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1042 kg/m ³ @ 20 °C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available.

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No additional information available.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Contact with incompatible materials.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met.)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met.)

PROPYLENE GLYCOL (57-55-6)	
LD50 oral rat	> 20000 mg/kg
LD50 dermal rat	> 20800 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight

Sodium-2-ethylhexanoaat (19766-89-3)	
LD50 oral rat	2043 mg/kg bodyweight OECD 401
LD50 dermal rat	> 2000 mg/kg bodyweight OECD 402
ATE CLP (oral)	2043 mg/kg bodyweight

Methyl-1H-benzotriazole (29385-43-1)	
ATE CLP (oral)	500 mg/kg bodyweight

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met.)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met.)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met.)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met.)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met.)
Reproductive toxicity	: Not classified. (Based on available data, the classification criteria are not met.)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met.)
STOT-repeated exposure	: Not classified

PROPYLENE GLYCOL (57-55-6)	
NOAEL (subchronic, oral, animal/male, 90 days)	443 mg/kg bodyweight

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium-2-ethylhexanoaat (19766-89-3)

NOAEL (oral, rat, 90 days) : ≈ 300 mg/kg bodyweight EPA OTS 795.2600

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met.)

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met.)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met.)

PROPYLENE GLYCOL (57-55-6)

LC50 fish 1	51400 mg/l Pimephales promelas
LC50 fish 2	51600 mg/l Oncorhynchus mykiss
EC50 72h - Algae [1]	19300 mg/l Skeletonema costatum
EC50 72h - Algae [2]	24200 mg/l Pseudokirchneriella subcapitata
EC50 96h - Algae [1]	19100 mg/l Skeletonema costatum
EC50 96h - Algae [2]	19000 mg/l Pseudokirchneriella subcapitata

Sodium-2-ethylhexanoaat (19766-89-3)

LC50 fish 1	> 100 mg/l Oryzias latipes
EC50 Daphnia 1	910 mg/l Daphnia magna
EC50 72h - Algae [1]	49,3 mg/l Desmodesmus subspicatus
LOEC (chronic)	63 mg/l Daphnia magna @21d
NOEC (chronic)	25 mg/l Daphnia magna @21d

Methyl-1H-benzotriazole (29385-43-1)

LC50 fish 1	25,5 mg/l (Pimephales promelas)
LC50 fish 2	65 mg/l (Brachydanio rerio)
EC50 Daphnia 1	87,4 mg/l (Daphnia magna)
EC50 Daphnia 2	8,58 mg/l (Daphnia magna)
EC50 72h - Algae [1]	62 mg/l (Selenastrum capricomutum)
ErC50 (algae)	75 mg/l @ OECD Guideline 201, Pseudokirchneriella subcapitata
NOEC chronic crustacea	184 mg/l @21DY (Daphnia magna)

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

MPM Antifreeze MPG

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

MPM Antifreeze MPG

Bioaccumulative potential	No relevant information available.
---------------------------	------------------------------------

Methyl-1H-benzotriazole (29385-43-1)

Log Kow	1,71
---------	------

12.4. Mobility in soil

MPM Antifreeze MPG

Soil	Prevent soil and water pollution.
------	-----------------------------------

12.5. Results of PBT and vPvB assessment

MPM Antifreeze MPG

The product does not meet the PBT and vPvB classification criteria

This mixture does not contain any substances that have been assessed as vPvB / PBT according to Regulation (EC) No, 1907/2006, Annex XIII.

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The product does not contain any substances with endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Comply with local regulations for disposal.
Additional information : This material and its container must be disposed of in a safe way, and as per local legislation.
European List of Waste (LoW) code : 16 01 14* - antifreeze fluids containing dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG

14.1. UN number or ID number

UN-No. : Not regulated
UN-No. (IMDG) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated
Proper Shipping Name (IMDG) : Not regulated

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

14.4. Packing group

Packing group (ADR) : Not regulated

Packing group (IMDG) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No additional information available.

SECTION 16: Other information

Indication of changes

Section	Changed item	Change	Comments
	Flammability (solid, gas)	Added	
	Adverse health effects caused by endocrine disrupting properties	Added	
	PBT Comment	Added	
	vPvB comment	Added	
	Extra phrases	Added	

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
	Adverse effects on the environment caused by endocrine disrupting properties	Added	
	Reason for no classification	Added	
	Reason for no classification	Added	
	Acute toxicity (dermal) - comment	Added	
1.1	Trade name	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added	
2.2	EUH-statements	Added	
3	Composition/information on ingredients	Modified	
4.1	After eye contact	Modified	
4.1	After ingestion	Modified	
4.1	After inhalation	Modified	
4.1	After skin contact	Modified	
4.1	General	Added	
4.2	After eye contact	Added	
4.2	After ingestion	Added	
4.2	After inhalation	Added	
4.2	After skin contact	Added	
4.2	Symptoms/effects	Added	
4.3	Treatment	Modified	
5.1	Suitable extinguishing media	Modified	
5.2	Hazardous decomposition products in case of fire	Modified	
5.3	Precautionary measures fire	Modified	
5.3	Other information	Modified	
6.1	Protective equipment	Modified	
6.1	Protective equipment	Modified	
6.1	General measures	Modified	
6.2	Environmental precautions	Modified	
6.3	Other information	Added	
6.4	Reference to other sections (8, 13)	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Storage conditions	Added	
7.2	Packaging materials	Added	
7.2	Incompatible products	Modified	
7.2	Storage area	Modified	

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
7.2	Technical measures	Modified	
7.3	Specific end uses	Added	
9.1	Freezing point	Modified	
9.1	Appearance	Modified	
9.1	Solubility	Modified	
9.1	Flash point	Modified	
9.1	Auto-ignition temperature	Added	
9.1	Boiling point	Modified	
9.1	Density	Modified	
9.1	pH	Added	
10.1	Reactivity	Added	
10.4	Conditions to avoid	Modified	
10.5	Incompatible materials	Modified	
10.6	Hazardous decomposition products	Modified	
11.1	Reason for no classification	Modified	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Additional information	Added	
11.1	Other information	Added	
11.1	Reason for no classification	Modified	
11.1	Reason for no classification	Modified	
11.1	Reason for no classification	Modified	
11.1	Reason for no classification	Modified	
11.1	Reason for no classification	Modified	
11.1	Reason for no classification	Modified	
11.1	Potential adverse human health effects and symptoms	Modified	
12.2	Persistence and degradability	Added	
12.3	Bioaccumulative potential	Added	
12.4	Soil	Modified	
12.6	Other adverse effects	Added	
13.1	Additional information	Added	
13.1	Regional legislation (waste)	Modified	
13.1	Product/Packaging disposal recommendations	Modified	
13.1	European List of Waste (LoW) code	Modified	
13.1	Waste materials	Modified	

MPM Antifreeze MPG

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH210	Safety data sheet available on request.
H302	Harmful if swallowed.
H361d	Suspected of damaging the unborn child
H411	Toxic to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.